EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6747961".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L2	4	name resolution device and prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L3	29	name resolution and network prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L4	2	"6,101,499".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L5	25	name resolution device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L6	3314	node information and updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L7	440	node information and updating and hash	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L8	8260	node and hash near5 function	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L9	246	709/224.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L10	12464	709/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L11	245	709/224.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L12	936	709/224.ccls. and hash	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L13	1350	709/239.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L14	46	709/239.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L15	34	709/239.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L16	44	709/239.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L17	194	709/224.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L18	308	709/224.ccls. and node near5 storing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L19	114	709/224.ccls. and node near5 collecting	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L20	9	709/239.ccls. and node near5 collecting	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L21	77	709/239.ccls. and node near5 storing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L22	5212	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L23	149	709/238.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L24	199	709/238.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L25	142	709/238.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L26	1049	709/242.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L27	25	709/242.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L28	69	709/242.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L29	67	709/242.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L30	13	709/244.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L31	426	709/244.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L32	8	709/244.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L33	18	709/244.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L34	2755	updating near5 node and name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L35	192	updating near5 node and device near5 name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L36	25	name resolution device	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L37	3314	node information and updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L38	440	node information and updating and hash	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L39	8260	node and hash near5 function	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L40	246	709/224.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L41	12464	709/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L42	245	709/224.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L43	936	709/224.ccls. and hash	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L44	1350	709/239.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L45	46	709/239.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L46	34	709/239.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L47	44	709/239.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L48	194	709/224.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L49	308	709/224.ccls. and node near5 storing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L50	114	709/224.ccls. and node near5 collecting	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L51	9	709/239.ccls. and node near5 collecting	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L52	77	709/239.ccls. and node near5 storing	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L53	5212	709/238.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L54	149	709/238.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L55	199	709/238.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L56	142	709/238.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L57	1049	709/242.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L58	25	709/242.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L59	69	709/242.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L60	67	709/242.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L61	13	709/244.ccls. and node information	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L62	426	709/244.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L63	8	709/244.ccls. and node near5 updating	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L64	18	709/244.ccls. and name near5 resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L65	2755	updating near5 node and name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L66	192	updating near5 node and device near5 name	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L67	244	"709"/.ccls. and domain name resolution and (function or hash)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L68	121	"709"/.ccls. and domain name resolution and (function or hash) and node	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L69	33	"709"/.ccls. and domain name resolution and (hash) and node	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L70	252	"709"/.ccls. and name resolution and (hash) and node	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L71	0	"72820999"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L72	0	"72820999".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L73	2	"7280999".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L74	2	"6,138,142".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L75	56	(Ishiyama or Jimmei or Tamada or Nagami).in. and "709"/.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L76	1	(Ishiyama or Jimmei or Tamada or Nagami).in. and "709"/.ccls. and name resolution and prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L77	2	"7171215".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L78	2227	"709"/.ccls. and prefix and update and database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L79	787	"709"/.ccls. and prefix and update and database and resolution	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L80	192	"709"/.ccls. and prefix and update and database and resolution and migrat$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L81	120	"709"/.ccls. and prefix and update and database and resolution and migrat$3 and network near5 address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L82	84	"709"/.ccls. and prefix and update and database and resolution and migrat$3 and network address	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L83	0	"709"/.ccls. and updat$3 network Prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L84	0	"709"/.ccls. and updat$3 near network Prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L85	14	"709"/.ccls. and updat$3 near5 network Prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L86	2	"5940396".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L87	2	"7043538".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

L88	3	"20040068579"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L89	1	10/733667	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L90	2	"6223172".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L91	5	(Ishiyama or Jimmei or Tamada or Nagami).in. and name resolution and prefix	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L92	2	"7349980".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21
L93	2	"20060047666"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/12/13 13:21

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L94	0	(Ishiyama or Jimmei or Tamada or Nagami).in. and "storing a node information containing a name of a node, a network identification information, a prefix indicating a position of a node on the network, and an interface identification information of a node"	USPAT; UPAD	ADJ	ON	2010/12/13 13:26

L95	0	(Ishiyama or Jimmei or Tamada or Nagami).in. and "under a condition where a prefix corresponding to the interface identification information of the prescribed node stored in another node, not connected to the network, differs from a prefix corresponding to the interface identification information of the prescribed node"	USPAT; UPAD	ADJ	ON	2010/12/13 13:26
L96	0	(Ishiyama or Jimmei or Tamada or Nagami).in. and "providing the prefix corresponding to the compared interface identification information to the another node, but without the interface identification information"	USPAT; UPAD	ADJ	ON	2010/12/13 13:26
L97	0	(Ishiyama or Jimmei or Tamada or Nagami).in. and "providing the prefix corresponding to the compared interface identification information to the another node, but without the interface identification information".clm.	USPAT; UPAD	ADJ	ON	2010/12/13 13:26
L98	0	(Ishiyama or Jimmei or Tamada or Nagami).in. and "storing a node information containing a name of a node, a network identification information, a prefix indicating a position of a node on the network, and an interface identification information of a node". clm.	USPAT; UPAD	ADJ	ON	2010/12/13 13:27

| L99 | 0 | (Ishiyama or Jimmei or Tamada or Nagami).in. and "under a condition where a prefix corresponding to the interface identification information of the prescribed node stored in another node, not connected to the network, differs from a prefix corresponding to the interface identification information of the prescribed node".clm. | USPAT; UPAD | ADJ | ON | 2010/12/13 13:27 |

12/13/2010 1:28:16 PM
C:\ Documents and Settings\ fali\ My Documents\ EAST\ Workspaces\ app 10671738.wsp